

February 11, 2015

TO:

LOCSD Board of Directors

FROM:

Margaret Falkner, Utility Compliance Technician III

SUBJECT:

Agenda Item 11K - 3/5/2015 Board Meeting

Proposition 84 South Bay Well Nitrate Removal Project Closing

DESCRIPTION

The Los Osos Community Services District (District) obtained grant funding from the California Department of Public Health to implement a nitrate removal system on the District's existing South Bay Upper Aquifer Well.

On December 16, 2014, the Wallace Group Construction Management Division filed a Notice of Completion with the County of San Luis Obispo. Engineering and retention are remaining to be paid. Once paid the final claim will be filed and a reimbursement will be sent to the District.

STAFF RECOMMENDATION

Staff recommends that the Board adopt the following motion:

Motion: I move that the Board receive and file this report.

DISCUSSION

On July 9, 2013, Funding Agreement No. 84-125124 between the District and the State of California is signed providing a maximum grant of \$635,980. The District held a public bid on May 5, 2014. John Madonna Construction (JMC) was lowest bidder and was awarded the construction project. JMC began construction on June 2, 2014.

Below is a table providing the amounts paid and outstanding:

Claim Number	Amount	Refunds	Date
1	\$42,022.61	\$42,022.61	04/24/14
2	\$8,106.76	\$8,106.76	09/12/14
3	\$351,176.77	\$351,176.77	10/20/14
4	\$102,135.65	\$102,135.65	01/20/15
5	\$97,919.73		
Subtotal	\$601,361.52		
Grant Amount	\$635,980.00		
Final Claim	\$34,618.48		

FINANCIAL IMPACT

The District had a \$10,000 matching fund requirement for this project.

President

R. Michael Wright

Vice President

Marshall E. Ochylski

Directors

Charles L. Cesena Jon-Erik G. Storm Louis G. Tornatzky

General Manager Kathy A. Kivley

District Accountant
Michael L. Doyel

Fire Chief Robert Lewin

Battalion Chief Phill Veneris

Mailing Address: P.O. Box 6064 Los Osos, CA 93412

Offices:

2122 9th Street, Suite 102 Los Osos, CA 93402

Phone: 805/528-9370 FAX: 805/528-9377